

Emergency Showers & Eye Wash

Meets ANSI Z358.1 Standards / Technical Data

Emergency shower and eye wash in Galvanised or Stainless steel with Immersed plastic ABS.

Note: Eye & Face wash alignment can be adjusted according to customer requirements.

Optional:

Hand Shower

Foot treadle

Signs

Proximity switch

Cubicle

Siren & Beacon



ESEW 801001



ESEW 801002

Pedestal Wall / Table Mounted Eye wash / Face wash Fountain

Comes with Stainless steel bowl Immersed with plastic ABS. Aerated diffusers and flow regulator.

Optional:

Pedestal in cast iron,


Foot treadle in carbon steel,

Sign for wall mounting,

Proximity switch



WPEF 803002



WPEF 803002S



WPEF 803012

Emergency Showers & Eye Wash / Technical Data

COMBI SHOWER & EYE WASH WITH FOOT TREADLE

Combi shower & eye wash available Galvanised or stainless steel . The sprayer head & shield dust cap is made of ABS.

Note: Eye & Face wash alignment can be adjusted according to customer requirements.

Optional:

Hand Shower

Foot treadle

Signs

Proximity switch

Cubicle

Siren & Beacon



SEWC 804001

Ceiling mounted Emergency Shower

Ceiling mounted Emergency shower for limited working space and laboratory

Optional:

Hand Shower

Signs

Proximity switch

Siren & Beacon



CMES 805001



Emergency Showers & Eye Wash / Technical Data

EYEWASH STATIONS SELF CONTAINED

Meet ANSI Z358.1 standards

Primary Eyewash Stations have Quick one-step activation delivering 15 minute flow in less than 1second. Capable of delivering 60 litres of flushing solution at ambient temperature

Steel wall bracket included for easy mounting.

Bacteriostatic Additive, test log card and drainage hose also included

Wall-mounted eyewash station is both convenient and effective for use in emergencies. The portable, gravity-fed unit requires no plumbing and has a 15 minute flow time. Designed for easy operation, this system can be used with just one hand.



16 Gallon Primary EyeWash Station

Safe Stream is 50% lighter than conventional systems and has 2 convenient rigid bottles of flushing fluid

Wall bracket for easy mounting.

Bacteriostatic Additive, test log card included



7 Gallon Safe Stream